## Rolife


## Time TGB04 TGB04



Designed by ROBOTIME www.robotime.com

49.2TGB04.100.B

Pictures for reference only. Please subject to our existing products.



Name	Battery box	Warm light lamp 1	Warm light lamp 2	Warm light lamp 3
No.	P1	P2	P3	P4
Picture		. Jolis		
Quantity	1 (0	1	1	1 9

Bag No.2	11		1	Bag No.3	
Name	Angle iron	Таре	Lampshade	Screwdriver	Screw
No.	P5	P6	P7	P8	P9
Picture	0		O Company		8
Quantity	4	2	22	1	10

Name	Blue roof	Mirror sheet	White latex
No.	P10 2011	P11	P12
Picture			Political
Quantity	1	1 /	1

Q&A

Q1: What if there are burs on the edges of parts?

A1: To ensure your safety and its accuracy, please sand the burs on every wooden part with the sandpaper in the part bag.

Q2: What should I do if the lampshade is assembled in the opposite direction?

A2: Adjust the lampshade with the screwdriver.

Q3: How to deal with loose parts after repeated disassembly?

A3: Apply some glue on junctions to fix it.

Q4: How to do with the peeling off and displacement of the paperboard?

A4: If the glue hasn't dried, you can add a dab of glue and press over 5s. If applying glue too much, you can wipe off the excess glue with tissues before it dries.

Q5: How to do with the unusual unwrap of P10 after assembling?

A5: To ensure P10 (blue roof) is smooth and neat, please remove it as a whole part. Then assemble it by steps.

Q6: How to do with blurred patterns or scars on P11 and P10?

A6: There is a film on the surface to protect it, and please remove the film before assembling.

Q7: What if the light cannot work after connecting the battery box with the light?

A7: 1. First check if the wires connection is wrong (connect the same color wires together). Then check if you have loaded the batteries properly, and if the switch is turned on.

2. Turn off the battery box switch. Then tear off the insulating tape. Check if the copper wire is broken and reconnect the wires.

## Instructions

1. Differences among P2, P3, P4

The length of heat -shrink tubes Short P2 P3 The shape of light Round

2. Signs illustration

The printed side

The blank side

here and press 5s

